

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE <div style="text-align: center;">J</div>		PAGE OF PAGES <div style="display: flex; justify-content: space-between;"><div>1</div><div>8</div></div>	
2. AMENDMENT/MODIFICATION NO. 0002		3. EFFECTIVE DATE 02-Feb-2005		4. REQUISITION/PURCHASE REQ. NO. N4002705RC00306		5. PROJECT NO.(If applicable)
6. ISSUED BY CODE COMMANDER SOUTHEAST REGIONAL MAINTENANCE CTR P.O. BOX 280057, MAYPORT NAVAL STATI JACKSONVILLE FL 32228-0057		N40027		7. ADMINISTERED BY (If other than item 6) CODE		
		See Item 6				
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X 9A. AMENDMENT OF SOLICITATION NO. N40027-05-R-0034		
				X 9B. DATED (SEE ITEM 11) 04-Jan-2005		
				10A. MOD. OF CONTRACT/ORDER NO.		
				10B. DATED (SEE ITEM 13)		
CODE		FACILITY CODE				
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS						
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended.						
Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.						
12. ACCOUNTING AND APPROPRIATION DATA (If required)						
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.						
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.						
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).						
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:						
D. OTHER (Specify type of modification and authority)						
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.						
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)						
See Continuation sheet for summary of changes.						
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.						
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
				TEL: _____ EMAIL: _____		
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA		16C. DATE SIGNED
_____ (Signature of person authorized to sign)				BY _____ (Signature of Contracting Officer)		02-Feb-2005

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

1. This is Amendment 0002 to RFP N40027-05-R-0034.
2. SECTION B – SUPPLIES OR SERVICES AND PRICE/COSTS:
 - a. Paragraph B-1, CLIN 0001AA, DELETE Specification Item 631-11-002 for the work scope.
 - b. Paragraph B-1, CLIN 0001AA, ADD Specification Items 123-11-006, 531-31-002 and 651-11-001 to the work scope. (Copies attached as ADDENDUM Number Two (2), Three (3) and Four (4).)
 - c. Paragraph B-1, ADD CLIN 0009 OPTION, Specification Item 631-11-002 to the work scope. (Copy of attached as ADDENDUM Number Three (3).)
 - d. Paragraph B-1, ADD CLIN 0010 OPTION, Specification Item 631-11-003 to the work scope. (Copy of attached as ERRATA Number Five (5).)
 - e. Paragraph B-1, CLIN 0007, DELETE the word “Undefinitized” from title name.
 - f. Paragraph B-2-1, ADD CLIN 0009 and 0010 to COAR 90.
3. SECTION C – DESCRIPTION/SPECIFICATION/WORK STATEMENT:
 - a. Paragraph C-1, Item 0001 (b), ADD FY 06 Standard Item 009-32 Change X (Draft) for Specification Item 631-11-003 **only**.
 - b. ADD the following paragraph OPTION Items:
 - a. ITEM 0009 (Option) -- 631-11-002
 - b. ITEM 0010 (Option) -- 631-11-003
4. SECTION F – DELIVERIES OR PERFORMANCE: Paragraph F-3, Delivery/Redelivery Schedule, ADD Option Items 0009 and 0010, Date Option Exercised (NLT 14 May 2005).
5. SECTION J – LIST OF DOCUMENTS, EXHIBITS AND OTHER ATTACHMENTS: ADD Attachment “8” FY06 Standard Item 009-32.

6. SECTION L – INSTRUCTIONS, CONDITIONS, AND NOTICES TO OFFERORS (RFP): ADD the following paragraph numbered L-2-41:

“L-2-41. SPECIFICATION CHANGES. The contractor shall make additions, deletions, and/or clarifications to the specifications as indicated in ADDENDUM Number Two (2), ADDENDUM Number Three (3), ADDENDUM Number Four (4), ERRATA Number Three (3), ERRATA Number Four (4) and ERRATA Number Five (5), attached hereto.”

7. REQUEST FOR SPECIFICATION CLARIFICATION:

- a) QUESTION: Specification Item 588-11-004, paragraph 3.5:
The bolts listed in paragraph 3.5 in the past have been GFM because of lead time, cost, and they may or may not be used. Please advise.
- ANSWER: Subject bolts are not long lead and available through local vendors, comply with item as written.
- b) QUESTION: Specification Item 583-11-001, paragraph 3.12:
Paragraph 3.12 requires installing PCMS tile. The Government has always provided the tile in the past. Will the tile be GFM or can the Government provide a source for the tile?
- ANSWER: PCMS tile is not required. Paragraphs will be deleted. See ERRATA Number Three (3) for changes to specification.
- c) QUESTION: Specification Item 631-11-002, paragraph 3.1.3:
1. For estimating purposes can the contractor assume the clad welding in paragraph 3.1.3 can be accomplished without a cofferdam?
2. If not, can the location of the welding or a size for the cofferdam be provided?
- ANSWER: For estimating purposes, assume clad welding will be done without a cofferdam. If a cofferdam is needed, an additional work item will be generated.

- d) QUESTION: Specification Item 123-11-002, paragraph 3.5.5:
Will the contractor receive an additional item for work specified by the Supervisor? If not, will the Government provide sufficient information for estimating?
- ANSWER: No, comply with the requirements of specification.
- e) QUESTION: Specification Item 130-11-002, paragraph 3.3.2:
The location of the 60 sq. ft. shell plating insert (as designated by the Supervisor) listed in paragraph 3.3.2 will effect the size and configuration of the cofferdam needed to accomplish the stated repair. Can a pool be provided to cover the additional cost of modifications to the cofferdam to encompass the bilge keel if needed and the amount of Prairie Masker Emitter System to be removed and replace?
- ANSWER: No, comply with specifications.
- f) QUESTION: Specification Item 123-11-003, paragraph 3.6:
Will the Government please provide part numbers for Tank Level Indicator Component Parts?
- ANSWER: See ERRATA Number Four (4) for clarification of parts.
- g) QUESTION: Specification Item 531-11-001, paragraph 3.4:
Paragraph 3.4 indicates delivery of heat exchangers to a qualified facility with paragraph 3.4.1.1 indicating cleaning of heat exchangers at that facility. If chemical is conducted at an of base contractor facility, do the requirements of local standard item 099-51JA, paragraph 3.6.2 through 3.6.2.6 for chemical analysis and transportation check points apply for the non-hazardous waste generated at the off-base facility?
- ANSWER: Yes.

- h) QUESTION: Specification Item 150-11-007:
Due to the vast amount of plate, bimetallic strip and coupled wit the unknown areas of replacement, will the Government provide an interference pool? If not the Government be more specific to actual locations of areas to be designated?
- ANSWER: Area to be repaired is listed in 1.2; comply with spec as written.
- i) QUESTION: Specification Item 992-31-001:
Paragraph 3.6 states to offload and store petroleum products listed in 3.5.2 and 3.6.2 states to delivery to the Naval Fuel Depot. In the past, the ship has arranged the defueling with the fuel depot and the contractor has not been involved. Will the contractor be responsible for defueling and storage of petroleum products?
- ANSWER: Quantities have been removed from paragraph 3.5.2 of work item. See ERRATA Number Four (4) for changes. Contractor is required to comply with specification for disposal of fluids removed.
- j) QUESTION: Specification Item 531-11-001, paragraph 3.5.1:
Without some knowledge of existing conditions of the shell the paragraph cannot be estimated or a method be devised to attempt straightening the shell. The factory does not recommend attempting this. If this is absolutely necessary, suggest a pool or provide information on the state of the shell.
- ANSWER: Subject paragraph has been deleted from work item. See ERRATA Number Four (4) for changes.

- k) QUESTION: Specification Item 992-31-001, paragraph 3.5.2-3.7.1.2:
1. Paragraph 3.5.2 through 3.7.1.2. We have been told on a previous bidder's question (USS ROOSEVELT SRA Solicitation N40027-05-R-0016) that the naval Fuel Depot will not accept fuel from the contractor. Will the ship arrange and accomplish defueling without assistance from the contractor, as has been done on most other past availabilities? Is it the Government's intent for the contractor to remove and dispose of the fuel? If it is the Government's intent for the contractor to offload and store the fuel, where is the 121,000 gallons of fuel to be stored?
 2. Paragraph 3.5.2. Which types of lube oil will be pumped? Which specific tank(s) will this oil be pumped from? Is it the Government's intent to dispose of this lube oil or store it for reuse?
- ANSWER: Quantities have been removed from paragraph 3.5.2 of work item. See ERRATA Number Four (4) for changes. Contractor is required to comply with specification for disposal of fluids removed.
- l) QUESTION: Specification Item 512-07-001, paragraphs 1.2.1, 1.3.1, 2.2, 2.3:
Fan room (01-180-1-Q), listed in paragraph 1.2.1, does not contain the fan identified in paragraph 1.3.1. Which is correct, the fan identified or the location of work? Drawings listed in 2.2 and 2.3 do not cover the fan listed. Will the correct drawings be provided?
- ANSWER: Item change reflect correct location and references, see ERRATA Number Four (4).
- m) QUESTION: Specification Item 526-11-001, paragraph 3.1.2:
Is the bulkhead plating in paragraph 3.1.2 internal to the ship or is it shell plating?
- ANSWER: It is exterior deck house side plating.

- n) QUESTION: Specification Item 150-11-002, paragraph 3.1:
What is the approximate square footage required to be power tool cleaned in paragraph 3.1?
- ANSWER: For bidding purposes area is approximately 30 square feet.
- o) QUESTION: Specification Item 588-11-004, paragraph 3.5:
Paragraph 3.5 requires installation of, "100 new One Inch diameter bolts and 100 new ¾ Inch diameter bolts" in RAST track cover plates. In previous availabilities, this material has always been Government Furnished Material (LLT). Will the Government furnish this material?
- ANSWER: No.
- p) QUESTION: Solicitation, Offer, and Award Page 1 of the Solicitation does not identify all pages of the provided solicitation (1 of 114). In addition, section page numbering for Part I through Part IV is incorrect. Please identify correct page numbering.
- ANSWER: The correct numbering is 1 through 114. Document was altered through PDF computer system changing the entire page configuration. Page 1 should read 1 of 114; subsequent pages 2 of 114 and so forth.
- q) QUESTION: Solicitation, Page 2 of 142, Item No. 0001AA, indicates that a price for all items listed in Attachment 1 is to be submitted for Item 0001AA. There are items listed in Attachment 1 that are also listed in the solicitation in Item No. 0001AB through Item 0008. Please identify those work items listed in Attachment 1 that are to be included in the contractors submitted price for Item No. 0001AA.
- ANSWER: CLIN Number 0001AA should read listed in Attachment 1 excluding specifications listed in CLIN Numbers 0001AB through 0008.

SECTION B - SUPPLIES OR SERVICES AND PRICES

SUBCLIN 0001AA

The CLIN extended description has changed from (COAR 16-852) FFP Specification Items:See Attachment 1 for Specification Item Listing to (COAR 16-852) FFP Specification Items:See Attachment 1 for Specification Item Listing excluding items listed in CLINS 0001AB through 0010.

CLIN 0007

The CLIN description has changed from Undefined Growth Labor and Material to Growth Labor and Material.

CLIN 0009 is added as follows:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0009		1	Lump Sum		
OPTION	AMR 2 Bilge FY05 FFP Preserve. (COAR 90-582) Specification Item 631-11-002 FOB: Destination				

NET AMT

CLIN 0010 is added as follows:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0010		1	Lump Sum		
OPTION	AMR 2 Bilge FY06 FFP Preserve. (COAR 90-582) Specification Item 631-11-003 FOB: Destination				

NET AMT

(End of Summary Changes)